

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/660,267	09/11/2003	Jeyhan Karaoguz	14274US02	5046
23446 7590 05/23/2007 MCANDREWS HELD & MALLOY, LTD 500 WEST MADISON STREET			EXAMINER	
			. WANG, LIANGCHE	
SUITE 3400 CHICAGO, IL	60661		ART UNIT	PAPER NUMBER
•			2155	
•			<u> </u>	
			MAIL DATE	DELIVERY MODE
			05/23/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)			
·		10/660,267	KARAOGUZ ET AL.			
	Office Action Summary	Examiner	Art Unit			
		Liang-che Alex Wang	2155			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SH WHIC - Exter after - If NO - Failu Any (ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE in a sign of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication, operiod for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION B6(a). In no event, however, may a reply be to the reply and will expire SIX (6) MONTHS from the application to become ABANDON	DN. timely filed m the mailing date of this communication. IED (35 U.S.C. § 133).			
Status						
1)⊠	Responsive to communication(s) filed on 30 Ag	<u>oril 2007</u> .	:			
2a)⊠	This action is FINAL . 2b) ☐ This action is non-final.					
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Dispositi	on of Claims					
5)□ 6)⊠ 7)□	Claim(s) 1-28 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1-28 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	vn from consideration.				
Applicati	on Papers					
10)	The specification is objected to by the Examine The drawing(s) filed on is/are: a) accent applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex	epted or b) objected to by the drawing(s) be held in abeyance. So ion is required if the drawing(s) is o	ee 37 CFR 1.85(a). bjected to. See 37 CFR 1.121(d).			
Priority u	ınder 35 U.S.C. § 119					
12) a)l	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau See the attached detailed Office action for a list	s have been received. s have been received in Applica ity documents have been received in the contract of the	ntion No ved in this National Stage			
Attachmen 1) Notice	t(s) e of References Cited (PTO-892)	4) 🔲 Interview Summa	rv (PTO-413)			
2) Notice 3) Information	te of Neierlenes Cited (F10-032) te of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) or No(s)/Mail Date	Paper No(s)/Mail				

Application/Control Number: 10/660,267 Page 2

Art Unit: 2155

DETAILED ACTION

1. Claims 1-28 are presented for examination.

- 2. Claims 2-4, 6, 7, 10-14, and 18-22 are amended and new claims 23-28 are added.
- 3. This action is in response to amendment filed on 4/30/2007.

Response to Arguments

- 4. Applicant's arguments filed 4/30/2007, have been fully considered but they are not persuasive.
- 5. In that remarks, applicant's argues in substance:
 - a. That: Lu does not teach or suggest "receiving a request identifying one of the network protocol addresses and responding by identifying the other of the associated first and second network protocol addresses" (page 12).
 In response to applicant's argument, Lu teaches PVR 200 sends a request to EPG server 304 to locate PVR 200A and/or PVR 200B (Col 6 lines 43-50), and each PVR is associated with an IP addresses so each PVR could communicate with one another (Col 10 lines 10-12). In order for PVR to communicate with one another in a networked environment, each device is having a network address. PVR 200 is requesting for content and based on the request from PVR 200, PVR 200A/200B is responding with the requested content. Network addresses of are identified at each device to enable network communication and data transmission.
 - b. That: Lu and Cohen individually do not teach "identifying at least one media peripheral, and at least one media peripheral command selected by a user".

Art Unit: 2155

In response to applicant's argument, it is the combination of Lu and Cohen teaches the claimed invention, not Lu or Cohen alone. See rejection below.

Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 1-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lu, US

 Patent Number 7,065,778 B1, hereinafter Lu, in view of Cohen et al., US Patent Number
 6,963,358, hereinafter Cohen.
- 8. Referring to claim 1, Lu teaches a system supporting the indirect control of at least one media peripheral, the system comprising:
 - a first television display (display 212 of PVR 200; Col 6 lines 21-28, figure 3) in a first home (the place where PVR 200 resides corresponds to "a first home"; Col 6 lines 43-61, Col 1 lines 64-67, figure 3);
 - a first storage in the first home (data storage device 218 of PVR 200 corresponds to "a first storage"), the first storage for storing media (Col 10 lines 26-29, 40-43, data storage device 218 of a PVR is used for storing TV programs for future viewing), and having an associated first network protocol address (IP address of PVR 200 corresponds to "an associated first network address"; Col 10 lines 10-15, each PVR is associated with an IP address);

Art Unit: 2155

a second storage (data storage device 218 of PVR 200A, figure 2) in the second home (figure 3, PVR 200A is physically separated from PVR 200, Col 6 lines 43-61, Col 1 lines 64-67), and having an associated second network protocol address (IP address of PVR 200A corresponds to "an associated second network address"; Col 10 lines 10-15, each PVR is associated with an IP address);

Page 4

server software (EGP server 304) that receives via a communication network (Internet 302 corresponds to "a communication network"; figure 3) a request (Col 9 lines 8-10, 29-44, server receives a request from PVR 200) that identifies one of the associated first and second network protocol addresses (IP address of PVR 200) by a user at the first home (Col 10 lines 10-15, IP address of PVR 200 is identified as the requester), and responds by identifying the other of the associated first and second network protocol addresses (Col 6 lines 45-50, network address of PVR 200A is located (identified) for server to send request to record desired TV shows) to support control from the first home, via the communication network (Col 6 lines 54-58, PVR 200A is used to record desired media requested from PVR 200, and once PVR 200A obtains the media, PVR 200A transmits the media to the EGP server 304, which then transmits the media to the requested PVR 200).

Lu does not teach at least one media peripheral, in the second home, communicatively coupled to the second storage; and the server software that receives a request that identifies one of the at least one media peripheral, and at least one media peripheral command selected by a user, and responds with media from the identified one

of the at least one media peripheral, at the second home, according to the at least one media peripheral command.

Cohen teaches, at least one media peripheral (digital camera 10'), in a second home (the place where digital camera 10' resides corresponds to "a second home", figure 6A) communicatively coupled to the second storage (device 100b); and server software (server 808) that receives a request that identifies one of the at least one media peripheral, and at least one media peripheral command selected by a user (Col 13 lines 22-33, Col 14 lines 19-27, user requests to server for accessing and downloading data captured from digital camera 10'; user requested download corresponds to "the at least one media peripheral command"), and responds with media from the identified one of the at least one media peripheral (Col 14 lines 19-27, 60-67, image data captured from digital camera 10' is provided to requester 812, 910), at the second home (digital camera 10' resides at second home), according to the at least one media peripheral command (Col 13 lines 22-33, Col 14 lines 19-27, user requests to download).

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to incorporate at least one media peripheral of Cohen in Lu, because both Cohen and Lu teach a first device requests media information stored on a second device via a server (see figure 3 of Lu and figure 6A of Cohen).

A person with ordinary skill in the art would have been motivated to make the modification to Lu would allow the media data of a peripheral to be transmitted to a remote location and allow authorized individuals to gain access and retrieve the media data as taught by Cohen (Col 3 lines 29-31, and Col 4 lines 42-54).

Art Unit: 2155

9. Referring to claim 2, Lu as modified teaches the system of claim 1 wherein the first and second network protocol addresses are one of an Internet protocol (IP) address, a media access control (MAC) address, and an electronic serial number (ESN) (Lu, Col 10 lines 10-15, each PVR is associated with an IP address).

Page 6

- 10. Referring to claim 3, Lu and Cohen in combination teaches the system of claim 1, and Cohen further teaches wherein the at least one media peripheral comprises one or more of a digital camera, a digital camcorder, an MP3 player, a home juke-box system, a multimedia personal digital assistant (PDA), and/or a mobile multi-media gateway device (Col 14 lines 19-27, figure 6C of Cohen, peripheral in Cohen is a digital camera).
- 11. Referring to claim 4, Lu as modified teaches the system of claim 1 wherein the media comprises one or more of audio, a still image, video, and data (Lu, Col 7 lines 25-28, network 300 operate with any type of media content: audio, video, graphics, information, data, and/or the like in any type of format).
- 12. Referring to claim 5, Lu as modified teaches the system of claim 1 wherein the media comprises real-time video (Col 7 lines 25-28; Col 6 lines 50-53, media being recorded are the requested TV show, which is recorded when it is broadcast (real-time video) by a TV provider).
- 13. Referring to claim 6, Lu and Cohen in combination teaches the system of claim 1, and Cohen further teaches wherein the at least one media peripheral command comprises one or more of on, off, select, play, capture, download, erase, delete, zoom, focus, pan, tilt, set compression format, set resolution, set frame rate, set quality, rewind, fast forward, scan, list, skip, and/or check status (Col 13 lines 22-33, Col 14 lines 19-27 of Cohen, user

Art Unit: 2155

requests to server for accessing and downloading data captured from digital camera 10'; user requested download corresponds to "the at least one media peripheral command").

- 14. Referring to claim 7, Lu as modified teaches the system of claim 1 wherein the communication network comprises one or more of a cable infrastructure, a satellite network infrastructure, a digital subscriber line (DSL) infrastructure, an Internet infrastructure, an intranet infrastructure, a wired infrastructure, and/or a wireless infrastructure (Lu, Col 7 lines 1-8, PVR 200, 200A and EGP server 304 may be coupled via coaxial cable, copper wire, fiber optics, the Internet 302, wireless communication and the like).
- 15. Referring to claim 8, Lu as modified teaches the system of claim 1 wherein the communication network is the Internet (Lu, Col 7 lines 1-8, Internet 302).
- 16. Referring to claim 9, Lu as modified teaches the system of claim 1 further comprising: a user interface (EGP, electronic programming guide corresponds to "a user interface"), at the first home (where PVR 200 resides, figure 3 of Lu), for identifying at least one of the second home (Lu, Col 6 lines 45-50, PVR 200A is located), the at least one media peripheral, and the at least one media peripheral command (Cohen's digital camera and downloading request, Col 14 lines 19-27); and the user interface supporting at least one media channel (Col 6 lines 35-61, user utilizes EPG to locate desired media).
- 17. Referring to claim 10, Lu teaches a system supporting the indirect control of at least one media peripheral, the system comprising:
 - a first storage (data storage device 218 of PVR 200) in a first home (the place where PVR 200 resides corresponds to "a first home"; Col 6 lines 43-61, Col 1 lines 64-

Art Unit: 2155

67, figure 3) that stores media (Col 10 lines 26-29, 40-43, data storage device 218 of a PVR is used for storing TV programs for future viewing), and having an associated first network address (IP address of PVR 200 corresponds to "an associated first network address"; Col 10 lines 10-15, each PVR is associated with an IP address);

a second storage (data storage device 218 of PVR 200A, figure 2) in a second home (figure 3, PVR 200A is physically separated from PVR 200, Col 6 lines 43-61, Col 1 lines 64-67), and having an associated second network protocol address (IP address of PVR 200A corresponds to "an associated second network address"; Col 10 lines 10-15, each PVR is associated with an IP address);

set top box circuitry (PVR 200 corresponds to "set top box circuitry"; Col 5 lines 26-35), in the first home, communicatively coupled to the first storage and the second storage (figures 2 and 3, PVR 200 is communicatively coupled to data storage device 118 of PVR 200 and PVR 200A);

server software (EGP server 304) that receives via a communication network (Internet 302 corresponds to "a communication network"; figure 3) a request (Col 9 lines 8-10, 29-44, server receives a request from PVR 200) that identifies one of the associated first and second network protocol addresses (IP address of PVR 200) by a user at the first home (Col 10 lines 10-15, IP address of PVR 200 is identified as the requester), and responds by identifying the other of the associated first and second network protocol addresses (Col 6 lines 45-50, network address of PVR 200A is located (identified) for server to send request to record desired TV shows) to support control from the first home, via the communication network (Col 6 lines 54-58, PVR 200A is used to record desired

Art Unit: 2155

media requested from PVR 200, and once PVR 200A obtains the media, PVR 200A transmits the media to the EGP server 304, which then transmits the media to the requested PVR 200).

Lu does not teach at least one media peripheral, in the second home, communicatively coupled to the second storage; and the server software that receives a request that identifies one of the at least one media peripheral, and at least one media peripheral command selected by a user, and responds with media from the identified one of the at least one media peripheral, at the second home, according to the at least one media peripheral command.

Cohen teaches, at least one media peripheral (digital camera 10'), in a second home (the place where digital camera 10' resides corresponds to "a second home", figure 6A) communicatively coupled to the second storage (device 100b); and server software (server 808) that receives a request that identifies one of the at least one media peripheral, and at least one media peripheral command selected by a user (Col 13 lines 22-33, Col 14 lines 19-27, user requests to server for accessing and downloading data captured from digital camera 10'; user requested download corresponds to "the at least one media peripheral command"), and responds with media from the identified one of the at least one media peripheral (Col 14 lines 19-27, 60-67, image data captured from digital camera 10' is provided to requester 812, 910), at the second home (digital camera 10' resides at second home), according to the at least one media peripheral command (Col 13 lines 22-33, Col 14 lines 19-27, user requests to download).

Application/Control Number: 10/660,267 Page 10

Art Unit: 2155

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to incorporate at least one media peripheral of Cohen in Lu, because both Cohen and Lu teach a first device requests media information stored on a second device via a server (see figure 3 of Lu and figure 6A of Cohen).

A person with ordinary skill in the art would have been motivated to make the modification to Lu would allow the media data of a peripheral to be transmitted to a remote location and allow authorized individuals to gain access and retrieve the media data as taught by Cohen (Col 3 lines 29-31, and Col 4 lines 42-54).

- 18. Referring to claim 11, Lu as modified teaches the system of claim 10 wherein the media comprises one or more of audio, a still image, video, and/or data (Lu, Col 7 lines 25-28, network 300 operate with any type of media content: audio, video, graphics, information, data, and/or the like in any type of format).
- 19. Referring to claim 12, Lu and Cohen in combination teaches the system of claim 10, and Cohen further teaches wherein the at least one media peripheral comprises one or more of a digital camera, a digital camcorder, an MP3 player, a home juke-box system, a multimedia personal digital assistant (PDA), and/or a mobile multi-media gateway device (Col 14 lines 19-27, figure 6C of Cohen, peripheral in Cohen is a digital camera).
- 20. Referring to claim 13, Lu as modified teaches the system of claim 10 wherein the first and second network addresses are one of an Internet protocol (IP) address, a media access control (MAC) address, and/or an electronic serial number (ESN) (Lu, Col 10 lines 10-15, each PVR is associated with an IP address).

Art Unit: 2155

21. Referring to claim 14, Lu as modified teaches the system of claim 10 wherein the communication network comprises one or more of a cable infrastructure, a satellite network infrastructure, a digital subscriber line (DSL) infrastructure, an Internet infrastructure, an intranet infrastructure, a wired infrastructure, and/or a wireless infrastructure (Lu, Col 7 lines 1-8, PVR 200, 200A and EGP server 304 may be coupled via coaxial cable, copper wire, fiber optics, the Internet 302, wireless communication and the like).

Page 11

- 22. Referring to claim 15, Lu as modified teaches the system of claim 10 wherein the communication network is the Internet (Lu, Col 7 lines 1-8, Internet 302).
- 23. Referring to claim 16, Lu as modified teaches the system of claim 10 wherein the server software forwards media from the at least one media peripheral to the set top box circuitry (Lu, Col 6 lines 45-58, server forwarded the requested media from its source to the requesting PVR).
- 24. Referring to claim 17, Lu as modified teaches the system of claim 10 wherein the server software is at a location separate from the first home and the second home (Lu, figure 3, Col 7 lines 20-24, EGP server 304 resides on a single physical computing device).
- 25. Referring to claim 18, Lu teaches a system supporting the indirect control of at least one media peripheral, the system comprising:

a first storage (data storage device 218 of PVR 200) in a first home (the place where PVR 200 resides corresponds to "a first home"; Col 6 lines 43-61, Col 1 lines 64-67, figure 3) that stores media (Col 10 lines 26-29, 40-43, data storage device 218 of a PVR is used for storing TV programs for future viewing);

a source (data storage device 218 of PVR 200A, figure 2);

set top box circuitry (PVR 200 corresponds to "set top box circuitry"; Col 5 lines 26-35), in the first home, to exchange media between the first storage and the source (Col 6 lines 54-58, PVR 200A is used to record desired media requested from PVR 200, and once PVR 200A obtains the media, PVR 200A transmits the media to the EGP server 304, which then transmits the media to the requested PVR 200), the source being configured to be indirectly controlled by the set top box circuitry in the first home (Col 6 lines 43-54, PVR 200 schedules the recording at remote PVR 200A which is indirectly controlling the source of media content);

server software that supports the exchange of media between the source and the set top box circuitry (Col 6 lines 54-58, PVR 200A is used to record desired media requested from PVR 200, and once PVR 200A obtains the media, PVR 200A transmits the media to the EGP server 304, which then transmits the media to the requested PVR 200).

Lu does not teach at least one media peripheral, in the second home, and the server software that supports the delivery of least one media peripheral command to the at least one media peripheral, and the exchange of media between the peripheral and the set top box circuitry.

Cohen teaches, at least one media peripheral (digital camera 10'), in a second home (the place where digital camera 10' resides corresponds to "a second home", figure 6A) communicatively coupled to the second storage (device 100b); and server software (server 808) that receives a request that identifies one of the at least one media peripheral,

and at least one media peripheral command selected by a user (Col 13 lines 22-33, Col 14 lines 19-27, user requests to server for accessing and downloading data captured from digital camera 10'; user requested download corresponds to "the at least one media peripheral command"), and responds with media from the identified one of the at least one media peripheral (Col 14 lines 19-27, 60-67, image data captured from digital camera 10' is provided to requester 812, 910), at the second home (digital camera 10' resides at second home), according to the at least one media peripheral command (Col 13 lines 22-33, Col 14 lines 19-27, user requests to download).

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to incorporate at least one media peripheral of Cohen in Lu, because both Cohen and Lu teach a first device requests media information stored on a second device via a server (see figure 3 of Lu and figure 6A of Cohen).

A person with ordinary skill in the art would have been motivated to make the modification to Lu would allow the media data of a peripheral to be transmitted to a remote location and allow authorized individuals to gain access and retrieve the media data as taught by Cohen (Col 3 lines 29-31, and Col 4 lines 42-54).

- 26. Referring to claim 19, Lu as modified teaches the system of claim 18 wherein the media comprises one or more of audio, a still image, video, real-time video, and data (Lu, Col 7 lines 25-28, network 300 operate with any type of media content: audio, video, graphics, information, data, and/or the like in any type of format).
- 27. Referring to claim 20, and Cohen in combination teaches the system of claim 18, Cohen further teaches wherein the at least one media peripheral command comprises one or

Application/Control Number: 10/660,267 Page 14

Art Unit: 2155

more of on, off, select, play, capture, download, erase, delete, zoom, focus, pan, tilt, set compression format, set resolution, set frame rate, set quality, rewind, fast forward, scan, list, skip, and/or check status (Col 13 lines 22-33, Col 14 lines 19-27 of Cohen, user requests to server for accessing and downloading data captured from digital camera 10'; user requested download corresponds to "the at least one media peripheral command").

- 28. Referring to claim 21, Lu as modified teaches the system of claim 18 wherein the communication network comprises one or more of a cable infrastructure, a satellite network infrastructure, a digital subscriber line (DSL) infrastructure, an Internet infrastructure, an intranet infrastructure, a wired infrastructure, and/or a wireless infrastructure (Lu, Col 7 lines 1-8, PVR 200, 200A and EGP server 304 may be coupled via coaxial cable, copper wire, fiber optics, the Internet 302, wireless communication and the like).
- 29. Referring to claim 22, Lu Cohen in combination teaches the system of claim 18, Cohen further teaches wherein the at least one media peripheral comprises one or more of a digital camera, a digital camcorder, an MP3 player, a home juke-box system, a multimedia personal digital assistant (PDA), and/or a mobile multi-media gateway device (Col 14 lines 19-27, figure 6C of Cohen, peripheral in Cohen is a digital camera).
- 30. Referring to claims 23-28 claims 23-28 encompass the same but broader scope of the invention as that of the claims 1-22. Therefore, claims 23-28 are rejected for the same reason as the claims 1-22.

Conclusion

Art Unit: 2155

31. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Page 15

- 32. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.
- 33. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Liang-che Alex Wang whose telephone number is (571)272-3992. The examiner can normally be reached on Monday thru Friday, 8:30 am to 5:00 pm.
- 34. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Saleh Najjar can be reached on (571)272-4006. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- 35. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you

Art·Unit: 2155

have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Liang-che Alex Wang May 17, 2007

SADEHOVIOAN EXAMINER